

Technical Circular

No.: 032/2021 Date: 04th June 2021

<u>Subject: Panama MMC-393 Reg. Australian Port - Pre-Arrival Check list</u> for Panama flagged vessels.

- 1. Panama Maritime Administration vide MMC-393 has implemented additional assessment requirements to decrease the detention numbers of Panama flagged vessels calling in Australian ports that may be subject to Port State Control (PSC) inspections.
- 2. For this, the Administration has enforced the implementation of the Pre-arrival Checklist to assist Ship-Owners, operators, technical managers, Designated Persons Ashore (DPA) and the vessel Master's to find weak items that can result as a ground for detention through PSC inspections by the Australian Maritime Safety Authority (AMSA).
- 3. The checklist is to be sent ninety-six hours (96hrs) before the vessel arrives to any Australian port, to the email address: psc@amp.gob.pa. For voyages of less than ninety-six hours (96hrs), the checklist must be sent at least twenty-four hours (24hrs) before arrival at port.
- 4. The use of the checklist is compulsory for all the Panamanian vessels prior to arrivals to any Australian port, and is to be signed by the vessel Master and company Designated Persons Ashore (DPA). The failure to comply or omission of this documental requirement may lead to administrative sanctions for the vessel Master, and/or Chief Engineer that may result on suspension and/or revocation of licenses, endorsements and/or certificates. Vessel Company may be sanction in equal proportion.
- 5. If an extraordinariness issues, such as equipment failures or any others situations that cannot be resolve on board of the vessel immediately; Ship-Owners, operators, technical managers, DPA or vessel's Master, is to immediately coordinate the effective corrective actions, together with the vessel Recognized Organization (R.O.,) and Segumar Offices. PSC Authority is to be informed at the same time.
- 6. Ship owners/ operators and masters of Panama flagged ships are advised to be guided by above.

Enclosure:

- 1. Panama MMC-393
- 2. Pre-Arrival checklist for Panama flagged vessels



. This Technical Circular and the material contained in it is provided only for the purpose of supplying current information to the reader and not as an advice to be relied upon by any person.

. While we have taken utmost care to be as factual as possible, readers/ users are advised to verify the exact text and content of the Regulation from the original source/ issuing Authority.





Panama Maritime Authority

General Directorate of Merchant Marine

Control and Compliance Department

MERCHANT MARINE CIRCULAR MMC-393

To: Ship-owners/Operators, Company Designated Person Ashore (DPA), and

Legal Representatives of Panama Flagged Vessels.

Subject: Australian Port Pre-arrival checklist for Panama flagged vessels.

Reference: Law N°. 7 of October 27, 1977, SOLAS, Chapter I, Part B, Rule 11, A y C -

AMSA - Targeting of Foreign Vessels for Port State Control (PSC)

Examination.

- 1. The purpose of this Merchant Marine Circular is to implement additional assessment requirements to decrease the detention numbers of vessels calling in Australian ports that may be subject to Port State Control (PSC) inspections.
- 2. As you are aware AMSA has implemented different focused inspection campaigns and initiatives. This are mainly focused on Bulk carriers and cargo securing in any other vessel.
- 3. As Administration we strive to maintain a good standing and become better every day to obtain the associated benefits to Panama Flagged vessels. For this reason, a checklist has been drawn up (see ANNEX), to assist Ship-Owners, operators, technical managers, Designated Persons Ashore (DPA) and vessel Master's to find weak items that can results as a ground for detention through Port State Control Inspections by the Australian Maritime Safety Authority.

The checklist must be sent ninety-six hours (96hrs) before the vessel arrives to any Australian port to the following email address: psc@amp.gob.pa. For voyages of less than ninety-six hours (96hrs), the checklist must be sent at least twenty-four hours (24hrs) before arrival at port.

PanCanal Building Albrook, Panama City Republic of Panama





- 4. The use of this checklist is compulsory for all the Panamanian vessels prior to arrival to any Australian port. This check-list must be signed by the Captain and company DPA. The failure to comply or omission of this documental requirement may lead to administrative sanctions for the vessel Master and/or Chief Engineer that may result on suspension and/or revocation of licenses, endorsements and/or certificates. Vessel Company may be sanction in equal proportion.
- **5.** If an extraordinariness issues, such as equipment failures or any others situations that cannot be resolve on board of the vessel immediately; Ship-Owners, operators, technical managers, DPA or vessel's Master, shall immediately coordinate the effective corrective actions, together with the vessel Recognized Organization (R.O,) and Segumar Offices. At the same time, PSC Authority shall be informed as requested by regulation 11 "Maintenance of conditions after survey", SOLAS Chapter I.
- **6.** For more details regarding the AMSA inspection and targeting process please refer to the AMSA website listed below:

https://www.amsa.gov.au/vessels-operators/port-state-control#collapseArea352

7. Contact information:

Port State Control Section, Monday to Fridays (according to Panama local time and regular office hours)

Phone: (507) 501-5092 / 501-5094 / 501-5033 Fax: (507) 501-5083 Email: psc@amp.gob.pa

Segumar Panama Head Office (HO) for night time, weekends and holidays (Panama local time)

Phone: (507) 501-5361/501-5362 Email: <u>authorizations@segumar.com</u>; <u>conditionals@segumar.com</u>; <u>extensions@segumar.com</u>



n Panama Ship Registry



ShipPanama



For nearest Segumar Office, you can contact us as convenient on Monday to Fridays (according to local time and regular office hours):

| America: | |
|-------------------------------|----------------------|
| Segumar Miami | Segumar Houston |
| segumar.miami@segumar.c om | offshore@segumar.com |

| Asia: | | |
|----------------------------------|---|----------------------------------|
| Segumar Tokyo | Segumar Imabari | Segumar Shanghai |
| segumar@panaconsul- tokyo.com | segumar.imabari@segumar. com rchacon@segumarimabari.j p | segumar.shanghai@segumar .com |
| Segumar Seoul | Segumar Busan | Segumar Singapore |
| segumarseoul@segumar.c om | segumarbusan@segumar.c om | segumar.sg@segumar.com |
| Segumar Manila | Segumar Dubai | |
| segumar.manila@segumar. | segumar.dubai@segumar.c om | |

| Europe: | | |
|-----------------------|------------------------|------------------------|
| Segumar Piraeus | Segumar Istanbul | Segumar London |
| segumarpg@segumar.com | segumarist@segumar.com | segumar.uk@segumar.com |



May, 2021 - New.

Inquiries concerning the subject of this Merchant Marine Circular or any other request should be directed to:

Navigation and Maritime Safety Department General Directorate of Merchant Marine Panama Maritime Authority

> Phone: (507) 501-5033 E-mail: psc@amp.gob.pa

Website: https://panamashipregistry.com/circulars/

PANAMA MARITIME AUTHORITY GENERAL DIRECTORATE OF MERCHANT MARINE



Pre-arrival checklist for Panama flagged vessels.

| Vesse | el Name | <u> </u> | IMO Nui | mber | | |
|-------------|--|---|---------|---------------------|----------|--|
| | revious Port | | | _ Date of Departure | | |
| | ort of Arrival | | | Date of Arrival | | |
| | | (out of servce) equipment if any | | | | |
| 1 2 3 | If the a | ur ship been detained in the last 12 months? Inswer is yes, have all deficiencies been rectified already? Inswer is no, please inform which elements are still pending require any authorization letter from us. Y any condition of class, class notation and/or Conditional Certifi | YES | NO | | |
| | | e following items working and maintained in proper condition pe | | | | |
| No. | Area | · | YES | NO | COMMENTS | |
| 1 | | Vessel certificates (on board and duly endorsed, Statement of Compliance for IMO DCS reporting, SEEMP PART II) | | | | |
| 2 | | Crew certificates (not expired and proper endorsements) | | | | |
| 3 | | ISM previous deficiencies and non-conformities have duly followed up and closed. Flag State and Company informed | | | | |
| 4 | | ISM internal and external audits held as required and reports are available on board | | | | |
| 5 | Do | SMS on board address cyber risk management | | | | |
| 6 | Docume | Risk assessments records are available | | | | |
| 7 | | Personnel onboard meet the requirements of MSMC | | | | |
| 8 | l č | Work and rest hours records updated as required | | | | |
| 9 | Work and rest hours records updated as required CSO and DPA contact details are available Continuous Synopsis Record (CSR) updated | | | | | |
| 10 | 웃 | Continuous Synopsis Record (CSR) updated | | | | |
| 11 | 1 | Seafarers Employment Agreements (SEA) valid and signed by all interested parties | | | | |
| 12 | | ISPS Security level set correctly as per Flag State and Port Authorities requirement | | | | |
| 13 | | Ballast water records are up to date and ballast plan is available | | | | |
| 14 | 1 | Safety (fire, abandon, enclosed space, etc.) and Security | | | | |
| 15 | | Manuals (e.g. stability, SOPEP, damage control plan, | | | | |

| No. | Area | Items to check and verify before port arrival | YES | NO | COMMENTS |
|-----|------------------------------|---|-----|----|----------|
| 16 | | Log books of firefighting equipment and Lifesaving appliances (LSA) is up to date | | | |
| 17 | | Fire detectors, smoke detectors and heat detectors (with no temporary covers), and the crew must be familiarized with the procedures and equipment for test | | | |
| 18 | | Fire dampers, Mechanical Ventilations (working and in good condition) | | | |
| 19 | Fire pr | Fixed fire extinguishing system (CO2 system connected and fully operational with no clogged or corroded nozzles) | | | |
| 20 | otectio | Fire doors not permanently locked, self-closing device in good order (gas tight, no worn packing, etc.) | | | |
| 21 | Fire protection system check | Fire extinguishers (Adequate cylinder pressure, also those located in machine room spaces, service certificate valid) | | | |
| 22 | check | Fire main system in good condition (hoses and isolation valve) | | | |
| 23 | ^ | Fire pump and its pipes in good order (Good pressure on deck and remote means of operation working correctly) | | | |
| 24 | | Quick closing valves in good order (Remote control devices) | | | |
| 25 | | Muster lists and Fire Plans (updated and posted) | | | |
| 26 | | All personnel familiar with signals, muster station and duties in case of emergencies | | | |
| 27 | | Emergency escapes free of obstructions | | | |
| 28 | L | Operational readiness of lifesaving appliances (engines, davits and falls ready to use) | | | |
| 29 | Life Savin | Rescue boats and lifeboats are in good condition (Lifeboat windows have good visibility, steering, lights, compass, propeller protection, etc.) | | | |
| 30 | g Appli | Lifejackets and immersion suits are in good condition and available for the total number of crewmembers on board | | | |
| 31 | ring Appliances ch | Inflatable life rafts (hydraulic release unit, embarkation ladder, required lifeboat inventory as required, current service period, no expired equipment, etc.) | | | |
| 32 | check | Launching and recovery arrangements for survival craft in good condition (NOT Wasted/Holed davit or defective winch brake) | | | |
| 33 | On | Gangway ladder and moorings (working and arranged properly) | | | |
| 34 | ı de | ISPS Access control procedures duly complied | | | |
| 35 | УĊК | Outside decks (clean and well illuminated) | | | |
| 36 | ۷e | Pilot transfer arrangements | | | |
| 37 | On deck verification | Garbage record book up to date and all areas well maintained | | | |
| 38 | on | Accommodations clean, in order and no door hooks in place | | | |

| No. | Area | Items to check and verify before port arrival | YES | NO | COMMENTS |
|-----|----------------------|--|-----|----|----------|
| 39 | | Ventilators, air pipes, casings in good condition | | | |
| 40 | 0 | Weather tight doors are in good condition and close properly | | | |
| 41 | n d | Hatch covers in good condition | | | |
| 42 | leck ve | Emergency source of power - Emergency Generator (able to start automatically and manually) | | | |
| 43 | On deck verification | Emergency lighting (batteries and switches in good condition) | | | |
| 44 | ion | International shore connection and standard discharge connection in good condition | | | |
| 45 | | General lighting in good condition (no burned bulbs) | | | |
| 46 | | Nautical Publications (latest editions on board) | | | |
| 47 | | Lights, shapes and signals working properly and available | | | |
| 48 | | Radio equipment, GMDSS, VHF/DSC, MF/HF, EPIRB, AIS, VDR, Radar Transponder, Echo sounder, Speed log, NAVTEX, MMSI number, etc. in good working order | | | |
| 49 | Bridge check | Voyage data recorder (VDR/S-VDR) and ship security alarm system (SSAS) operational, tested and not showing system errors | | | |
| 50 | e ch | LRIT working satisfactorily (conformance test on board) | | | |
| 51 | eck | Nautical charts and ECDIS updated (ECDIS was checked for last ENC updates, PPI cross checked in ECDIS, ECA entries positions cross checked, passage plan, etc.) | | | |
| 52 | | Deck Logbook (duly updated and accurate, indicating the working language, entries for ECA (changeover), entries for sewage discharge, etc.) | | | |
| 53 | | Oil Record Book (duly updated and accurate) | | | |
| 54 | | Steering gear in good order | | | |
| 55 | | Air pipes and ventilators in good order | | | |
| 56 | | Cleanliness of machinery spaces | | | |
| 57 | Engine Room check | Oil water separator / oil filtering equipment (engine crew has to be able to test it). If PSCOs discover unapproved modifications to the oily water separator piping system, criminal prosecution of the vessel and its crew may result. | | | |
| 58 | Roo | Jacketed piping system for high pressure fuel lines | | | |
| 59 | JM. | Oil Content Meter (engine crew has to be able to test it) | | | |
| 60 | check | Avoid imprudent amount of bilge water, accumulation of oil, fuel leaks, oil soaked lagging in the engine room space | | | |
| 61 | | Alarm system of bilge high level working well | | | |
| 62 | | Oil mist detector alarm working well | | | |
| 63 | | Sewage treatment plant (operative, blower working well, cleaning agents, etc.) | | | |
| 64 | | Remotely operated shutoff valves (ROSOV) | | | |

| No. | Area | Items | to check and verify before port arrival | YES | NO | COMMENTS |
|-----|-------------|--|---|-----------|-----------|------------------------|
| 65 | | _ | Inert Gas system operational | | | |
| 66 | ŋc | Tankers Only Engine Room | Overboard discharge monitoring and control equipment ODME working well | | | |
| 67 | | | Audio-visual alarms of high and high-high alarms | | | |
| 68 | 1 | | Fixed gas detection system | | | |
| 69 | | Sanitary facilities working well and clean | | | | |
| 70 | | Heating, air | conditioning and ventilation in good order | | | |
| 71 | | Hospital is cl | ean and in order, medical chest is complete | | | |
| 72 | _ | MLC Insuran | ce certificates are valid | | | |
| 73 | / LC | Personal protective equipment (PPE) Stores available for the intended voyage and well kept (temperature and food segregation) | | | | |
| 74 | | | | | | |
| 75 | | Seafarers Employment Agreements (SEA) comply with collective bargain agreement (if applicable) | | | | |
| 6 | pendin | g, malfunction | nvites companies and Masters, to report Flag State ling or missing items which require additional verified e.g. authorization letter from the Flag State pla | fication; | in case y | ou require a technical |

- reduce the likelihood of a Detention by the PSC.
- 7 This checklist must be sent 96 hours before the arrival to the below contact information. For voyages that last less than 96 hours, said document must be sent at least 24 hours before arrival in port.

The failure to comply or omission of this documental requirement may lead to administrative sanctions for the vessel Master and/or Chief Engineer that may result on suspension and/or revocation of licenses, endorsements and/or certificates. Vessel Company may be sanction in equal proportion.

I certify that I have verified, prior to the port arrival, that all items on this list are as expressed above in good working order, except the ones specifically mentioned otherwise;

| Master Signature: | | DPA Signature: | |
|-------------------|--------------|----------------|--|
| Master Name: | | DPA Name: | |
| Date: | Vessel Stamp | Email: | |
| | · | 24/7 Phone: | |
| | | Date: | |

This Check-list and any inquiries concerning the subject of this Circular or any other request should be directed to:

Port State Control Section (Panama Office)

Navigation and Maritime Safety Department

Directorate General of Merchant Marine

Panama Maritime Authority

psc@amp.gob.pa

Phone: +(507) 501-5092 / +(507)501-5094